



# Grainger Product Line Sheet



## Lamp Recycling Containers

GRAINGER SKU	VEO SKU	PRODUCT PICTURES	DESCRIPTION	CONTAINER SIZE	DETAILED DESCRIPTION	CAPACITY
5KH63	SUPPLY-043		Medium 4ft Fluorescent Lamp Recycling Box	8.5"x8.5"x48"	UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping label, recycling and online certificate of acceptance for recycling.	30 T12 / 72 T8 4ft straight fluorescent lamps, misc. 4ft T5 straight lamps, misc. u-tube lamps. (UN Rated Weight-34 lbs.)
5KH64	SUPPLY-044		Medium 8ft Fluorescent Lamp Recycling Box	6"x6"x96"	UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	16 T12 / 39 T8 8ft straight fluorescent lamps, misc. 8ft T5 straight lamps, and misc. 8ft straight LED lamps. (UN Rated Weight-35 lbs.)
4CY98	SUPPLY-065		Large 4ft Fluorescent Lamp Recycling Box	12"x12"x48"	UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	68 T12 / 146 T8 4ft straight fluorescent lamps, misc. 4ft T5 straight lamps, misc. u-tube lamps. (UN Rated Weight-66 lbs.)
5KH67	SUPPLY-068		5 Gal Mixed Lamp Recycling Pail	5 GAL PAIL	UN-rated, DOT approved container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	55 lbs. or 45-90 small to medium CFLs or LEDs. (UN Rated Weight-55 lbs.)
2KNL3	SUPPLY-098		Small 4ft Fluorescent Lamp Recycling Box	6"x6"x48"	UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	16 T12 / 39 T8 4ft straight fluorescent lamps, misc. 4ft T5 straight lamps. (UN Rated Weight-17 lbs.)
2KNL6	SUPPLY-126		2ft Mixed Lamp Recycling Box	16"x16"x25"	UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	22 T12 / 32 T8 u-tube lamps, misc. amounts of high intensity discharge lamps, up to 250 compact fluorescent lamps or small LED lamps. (UN Rated Weight-58 lbs.)
2KNL7	SUPPLY-144		Bulk Lamp Recycling Kit	40"x48"x51"	Recycling container, pallet base with pallet cups, (4) 4 mil poly liners, (4) liner ties, tape, instructions, terms and conditions, universal waste labels, proof of purchase, return shipping, recycling and online certificates of acceptance for recycling.	800 T12 or 1600 T8 4ft straight lamps, 360 400W HID, or 312 T12 or 480 T8 u-tubes.
2KNL5	SUPPLY-123		Consumer CFL Recycling Box	6"x6"x6"	Recycling container, 4 mil poly liner, liner tie, tape, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	6-8 medium CFLs or LEDs or 12 small CFLs.
4NYA4	SUPPLY-190		Large 8ft Fluorescent Lamp Recycling Box	8"x8"x96"	UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	25 T12 / 57 T8 8ft straight fluorescent lamps, misc. 8ft T5 straight lamps, and misc. 8ft straight LED lamps. (UN Rated Weight-61 lbs.)
4NYA5	SUPPLY-191		Large U-Tube, Hid Lamp Recycling Box	22"x22"x24"	UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	46 T12 / 81 T8 u-tube lamps, and up to 60 400W HID. (UN Rated Weight-54 lbs.)
4NYA6	SUPPLY-192		Medium CFL Recycling Box	15"x15"x15"	UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	150 small spiral compact fluorescent lamps, 525 2-pin compact fluorescent lamps, 265 4-pin compact fluorescent lamps, misc. incandescent and LED lamps. (UN Rated Weight-37 lbs.)
45L101	SUPPLY-261		Cubic Yard Mixed Lamps Recycling Box	36" x 36" x 36"	Recycling container, (2) corrugated stabilizing inserts, pallet base with pallet cups, 4 mil poly liner, liner tie, instructions, terms and conditions, universal waste label, proof of purchase, return shipping, recycling and online certificates acceptance for recycling.	2700 CFLs or 525 lbs. of mixed lamps. DO NOT EXCEED 525 lbs. when placing LED lamps into this container.
34J847	SUPPLY-253		Small CFL Drop Box	13"x13"x9"	Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	35 small spiral CFLs
444A27	SUPPLY-374		Extra Small Led Lamp Recycling Box	9"x6"x10"	Recycling container, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	Holds 2-4 small LED lamps not to exceed box weight capacity of 3 lbs.



# Grainger Product Line Sheet



444A28	SUPPLY-361		Small Led Lamp Recycling Box	18"x12"x6"	Recycling container, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	Holds 64 6W / 69 8W or 45 12W small LED lamps not to exceed box weight capacity of 20 lbs.
444A29	SUPPLY-362		Medium Led Lamp Recycling Box	18"x18"x12"	Recycling container, 5.5 mil vapor barrier liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	Holds 191 6W / 207 8W or 135 12W small LED lamps not to exceed box weight capacity of 50 lbs.
444A26	SUPPLY-360		4ft led lamp recycling box	6"x6"x48"	Recycling container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	39 T8 / 62 T5 / 78 T4 or 156 T2 4ft straight LED lamps. (UN Rated Weight-17 lbs.)
444A30	SUPPLY-373		4ft UV Lamp Recycling Box	Outer Box: 12"x12"x52"	Outer corrugated container, inner corrugated container, (2) 5.5 mil vapor barrier liners, (2) liner ties, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	Holds 30 T12 / 60 T8 high mercury (germicidal) straight UV lamps 4 feet in length.
444A31	SUPPLY-345		8ft UV Lamp Recycling Box	Outer Box: 10"x10"x100"	Outer corrugated container, inner corrugated container, (2) 5.5 mil vapor barrier liners, (2) liner ties, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	Holds 25 T12 / 57 T8 high mercury (germicidal) straight UV lamps 8 feet in length
5KH66	SUPPLY-040		5 Gal Lamp Ballast Recycling Pail	Top Diameter: 11.45", Bottom Diameter: 10.15", Height: 14.09"	UN-rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	55 lbs. of intact and non-leaking TSCA-exempt PCB and non PCB magnetic and electronic lamp ballast.
34J846	SUPPLY-193		6.5 Gal Lamp Ballast Recycling Pail	Top Diameter: 11.45", Bottom Diameter: 10", Height: 18.3"	UN-rated, DOT approved 6.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	66 lbs. of intact and non-leaking TSCA-exempt PCB and non PCB magnetic and electronic lamp ballast.
45L102	SUPPLY-263		Flexible 30 Gal Ballast Recycling Drum	17.5"x17.5"x27"	UN-rated, DOT approved flexible drum, 3 mil liner, liner tie, instructions, terms and conditions, proof of purchase, return shipping, recycling and online certificate of acceptance for recycling.	250 lbs. of intact and non-leaking TSCA-exempt PCB and non PCB magnetic and electronic lamp ballast.
45L103	SUPPLY-276		Crushed Lamps Prepaid Recycling Stamp	8.5"x11"	8.5x11 label with adhesive backing, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, recycling and online certificates of acceptance for recycling.	550 lbs. of crushed linear fluorescent lamps (contained in a 55 gal steel drum)
45L104	SUPPLY-277		4ft Linear Lamp Prepaid Recycling Stamp	8.5"x11"	8.5x11 label with adhesive backing, instructions, terms and conditions, proof of purchase, universal waste label, return shipping, recycling and online certificates of acceptance for recycling.	900 T12 or 1800 T8 4ft linear fluorescent lamps.
45L105	SUPPLY-278		8ft Linear Lamp Prepaid Recycling Stamp	8.5"x11"	8.5x11 label with adhesive backing, instructions, terms and conditions, proof of purchase, universal waste label, return shipping, recycling and online certificates of acceptance for recycling.	900 T12 or 1800 T8 8ft linear fluorescent lamps.

## Battery Recycling Containers

GRAINGER SKU	VEO SKU	PRODUCT PICTURES	DESCRIPTION	CONTAINER SIZE	DETAILED DESCRIPTION	CAPACITY
1FYF1	SUPPLY-041		3.5 Gal Dry Cell Battery Recycling Pail	Top Diameter: 11.45", Bottom Diameter: 10.24", Height: 10.58"	UN-rated, DOT approved 3.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	50 lbs. of dry cell batteries, including AAA, AA, C, D, 9 volt batteries containing alkaline, carbon-zinc, NICAD, NiMH, silver oxide, mercury, lithium metal, and lithium ion.
4NYA8	SUPPLY-150		2 Gal Sealed (Non-Spillable) Lead Acid Battery Recycling Pail	Top Diameter: 10.48", Bottom Diameter: 9.125", Height: 7.53"	UN-rated, DOT approved 2 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	35 lbs. of sealed (non-spillable) lead acid batteries.



# Grainger Product Line Sheet



12G311	SUPPLY-069		1 Gal Dry Cell Battery Recycling Pail	Top Diameter: 7.5", Bottom Diameter: 6.625", Height: 6.9"	UN-rated, DOT approved 1 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	25 lbs. of dry cell batteries, including AAA, AA, C, D and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NiMH, silver oxide, mercury, lithium metal, and lithium ion.
12G312	SUPPLY-093		1/2 Gal Dry Cell Battery Recycling Pail	Top Diameter: 6.15", Bottom Diameter: 5.49", Height: 6.62"	UN-rated, DOT approved 1/2 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	15 lbs. of dry cell batteries including AAA, AA, C, D, 9 volt batteries containing alkaline, carbon-zinc, NICAD, NiMH, silver oxide, mercury, lithium metal, and lithium ion.
34J848	SUPPLY-252		Small Battery Drop Box	Outer display box: 13"x13"x9"	Corrugated display box with internal collection box, tape dispenser with refills, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	45 lbs. of dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NiMH, silver oxide, mercury, lithium metal and lithium ion.

## Mercury Device Recycling Containers

GRAINGER SKU	VEO SKU	PRODUCT PICTURES	DESCRIPTION	CONTAINER SIZE	DETAILED DESCRIPTION	CAPACITY
4NYA7	SUPPLY-049		5 Gal UW Mercury Devices Recycling Pail	Top Diameter: 11.45", Bottom Diameter: 10.15", Height: 14.09"	UN-rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	55 lbs. of intact mercury devices, including but not limited to thermostats, thermometers, blood pressure gauges, relays and switches.
5AU58	SUPPLY-066		1 Gal UW Mercury Devices Recycling Pail	Top Diameter: 7.5", Bottom Diameter: 6.625", Height: 6.9"	UN-rated, DOT approved 1 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	13 lbs. of intact mercury devices, including but not limited to thermostats, thermometers, blood pressure gauges, relays and switches.

## Electronics Recycling Containers

GRAINGER SKU	VEO SKU	PRODUCT PICTURES	DESCRIPTION	CONTAINER SIZE	DETAILED DESCRIPTION	CAPACITY
2KNL4	SUPPLY-061		Large Electronics Recycling Box	22" x 22" x 22"	Recycling container, 5.5 mil vapor barrier liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	70 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.
12G313	SUPPLY-196		Small Electronics Recycling Box	18" x 12" x 6"	Recycling container, 4 mil liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	20 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.
12G314	SUPPLY-197		Medium Electronics Recycling Box	18" x 18" x 12"	Recycling container, 4 mil liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	50 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.
45L099	SUPPLY-260		Cubic Yard Electronics Recycling Box	36" x 36" x 36"	Recycling container, (2) corrugated stabilizing inserts, pallet base with pallet cups, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, return shipping, recycling and online certificates of acceptance for recycling.	450 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.
34J850	SUPPLY-255		Small Cell Phone Drop Box	Outer display box: 13"x13"x9"	Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	110 cell phones.
34J849	SUPPLY-254		Small Inkjet Drop Box	Outer display box: 13"x13"x9"	Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.	30-45 inkjet cartridges or roughly 10 lbs.



# Grainger Product Line Sheet



## Aerosol Cans

GRAINGER SKU	VEO SKU	PRODUCT PICTURES	DESCRIPTION	CONTAINER SIZE	DETAILED DESCRIPTION	CAPACITY
429T80	SUPPLY-339		VSQG 6 Aerosol Can Recycling Box	9"x6"x10.25"	Corrugated box, 4 mil liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.	Up to 6 used undamaged aerosol cans. Maximum return weight – 3 lbs.
429T81	SUPPLY-340		VSQG 12 Aerosol Can Recycling Box	12.25"x9"x10.25"	Up to 12 used undamaged aerosol cans. Maximum return weight – 6 lbs. Includes: Corrugated box, 4 mil liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.	Up to 12 used undamaged aerosol cans. Maximum return weight – 6 lbs.
429T79	SUPPLY-325		VSQG 40 Aerosol Can Recycling Box	15"x15"x15"	ReturnPak box, 5.5 mil vapor barrier liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.	Up to 40 used undamaged aerosol cans. Maximum return weight – 20 lbs.

## Pharmaceutical Waste Container

GRAINGER SKU	VEO SKU	PRODUCT PICTURES	DESCRIPTION	CONTAINER SIZE	DETAILED DESCRIPTION	CAPACITY
45L098	SUPPLY-264		5GAL CESQG PHARMACEUTICAL WASTE PAIL	5 GAL PAIL	5 GAL PAIL, LINER, RETURN SHIPPING BOX, INSTRUCTIONS, TERMS AND CONDITIONS, PREPAID RETURN SHIPPING, DISPOSAL AND DOCUMENTATION	50 LBS

## Supplies and Containers

GRAINGER SKU	VEO SKU	PRODUCT PICTURES	DESCRIPTION	CONTAINER SIZE	DETAILED DESCRIPTION	CAPACITY
49Y396	SUPPLY-224		SupplyPak Battery Acid Spill Kit	Top Diameter: 10.48", Height: 9.17"	UN-rated, DOT approved 2.5 gal container with locking lid, 4 mil poly liner, liner tie, protective splash goggles, nitrile gloves, poly apron, liquid acid neutralizer with trigger sprayer, liquid locking polymer, absorbent hazmat pads, plastic scoop with detachable scrapper, MSDS document, instructions.	26 lbs. of battery acid contaminated waste.
49Y395	SUPPLY-225		SupplyPak Mercury Spill Kit	Top Diameter: 10.48", Height: 9.17"	UN-rated, DOT approved 2.5 gal container with locking lid, 4 mil poly liner, liner tie, protective glasses, nitrile gloves, granular zinc, mercury indicator powder, mercury vapor suppressor, plastic scoop with detachable scrapper, zinc infused sponges, MSDS document, instructions.	26 lbs. of mercury contaminated waste.
49Y397	SUPPLY-245		SupplyPak 16 Oz Mercury Vapor Suppressor	Diameter: 3.5", Height: 6.625"	HDPE bottle of carbon pellets with dual sided shaker lid.	Used to absorb hazardous mercury vapors.
39Y398	SUPPLY-246		SupplyPak Mercury Sponge Jar (6 Qty)	2.5"x1" Round	Round sponge coated with granular zinc inside 2 oz plastic jar with lid.	Used to cleanup and absorb mercury droplets.
49Y399	SUPPLY-247		SupplyPak 26 Oz Mercury Amalgamating Zinc Needles (1 Qty)	Diameter: 2.125", Height: 4.625"	Plastic bottle of granular zinc needles with dual sided shaker lid.	Used to cleanup and absorb mercury droplets.
48TJ51	SUPPLY-280		SupplyPak 4ft Lamp Recycling Box	8.5"x8.5"x48"	Printed corrugated recycling container with universal waste labeling.	30 T12 or 72 T8 4ft straight lamps or 10 T12 or 20 T8 u-tubes.
48TJ52	SUPPLY-281		SupplyPak 8ft Lamp Recycling Box	8"x8"x96"	Printed corrugated recycling container with universal waste labeling.	25 T12 or 57 T8 8ft straight lamps.
48TJ53	SUPPLY-282		SupplyPak Hid/U-Tube Lamp Recycling Box	22"x22"x24"	Printed corrugated recycling container with universal waste labeling.	46 T12 or 81 T8 u-tubes or 60 400w HIDs or Misc CFLs.